US ISSN 0022 0493

Journal of Economic Entomology

VOLUME 84—1991

JACQUELINE L. ROBERTSON
Editor
PAULA LEVIN MITCHELL
Editor
JAN P. NYROP
Editor
RICHARD S. ZACK
Book Review Editor

RAYMOND L. EVERNGAM, JR.
Managing Editor
RICHARD H. FOOTE
A. C. MINTZER
Copy Editors

MELISSA McDANIEL
DEBORAH L. SANDERS
STACEY N. WAGES
JENNIFER YEARWOOD
Production Editors

Editorial Board

R. E. WRIGHT, *Chair*
Stillwater, Okla.
Section D, 1991
C. E. EASTMAN
Champaign, Ill.
Section C, 1992
S. S. QUISENBERRY
Baton Rouge, La.
Section F, 1993
MARLIN E. RICE
Ames, Iowa
Section E, 1994
SONNY B. RAMASWAMY
Mississippi State, Miss.
Section B, 1995

Published by the
Entomological Society of America

L. R. NAULT
Worcester, Ohio
President
J. H. OLIVER, JR.
Statesboro, Ga.
Past President
F. T. TURPIN
West Lafayette, Ind.
President-Elect 1991
J. H. SHADDY
Kirksville, Mo.
Secretary-Treasurer
E. A. CAMERON
University Park, Pa.
Eastern Branch
K. L. STEFFEY
Champaign, Ill.
North Central Branch
R. E. BERRY
Corvallis, Oreg.
Pacific Branch
B. R. WISEMAN
Tifton, Ga.
Southeastern Branch
D. R. RUMMEL
Lubbock, Tex.
Southwestern Branch
B. J. HARRINGTON
Madison, Wis.
Section A
H. OBERLANDER
Gainesville, Fla.
Section B
R. T. CARDÉ
Amherst, Mass.
Section C
J. D. EDMAN
Amherst, Mass.
Section D
D. D. KOPP
Fargo, N. Dak.
Section E
G. G. KENNEDY
Raleigh, N.C.
Section F
W. D. HANSEN
Lanham, Md.
Executive Director

Published by THE ENTOMOLOGICAL SOCIETY OF AMERICA

JEENAI 84: 1–1990 (1991)

CUMULATIVE AUTHOR INDEX
Journal of Economic Entomology
Volume 84, 1991

A
Abd-Elghafar, S. F., 502
Adams, A. J., 1135
Adams, C. T., 241
Adams, J. A., 158
Adams, J. R., 445
Adams, R. G., 1833
Aitken, D.C.G., 17
Akre, R. D., 1437
Alford, A. R., 397, 1154, 1158
All, J. N., 619
Alston, D. G., 267
Anderson, M. D., 1060
Anderson, R. M., 659
Antonidaki, A., 564
Appel, A. G., 502
Araya, J. E., 1920
Archer, T. L., 1869, 1879
Arida, G. S., 656
Armstrong, J. S., 1691
Armstrong, J. W., 1308
Arnoldi, D., 830
Arthur, F. H., 721, 1926
Ashimogo, G. C., 996
Atkinson, T. H., 1247, 1251, 1758
Aung, L. H., 198

B
Baehrecke, E. H., 1404
Baker, C. A., 669
Baker, P., 1283
Baker, R. T., 1763
Balaam, R. J., 1508
Ban, P. M., 912, 1525
Banks, W. A., 241, 814
Banos, C., 1304
Barcay, S. J., 1520
Bard, J. W., 1216
Barnett, W., 1448
Barney, R. J., 1041
Barrett, B. A., 965
Barry, D., 1053
Barton, K. A., 1943
Bates, B. A., 1630
Beardsley, J. W., 56
Beasley, C. A., 470
Bechinski, E. J., 1388
Behle, R. W., 1480
Belding, M. J., 306
Bell, M. R., 851
Benedict, J. H., 126, 659
Bennett, G. W., 1520, 1746
Bentley, M. D., 1154, 1158
Berger, L. A., 285
Bergman, M. K., 256, 260
Beshear, R. J., 1818
Bhatkar, A., 866
Bidochka, M. J., 371
Bing, J. W., 625, 1080
Bledsoe, L. W., 256, 260
Blodgett, S. L., 650
Boivin, G., 158, 830
Boling, J. A., 1262
Bondari, K., 311
Bonjour, E. L., 224, 1796
Bordovsky, J. P., 1869, 1879
Bradley, Jr., J. R., 267
Brandenburg, R. L., 1894
Brandl, D. G., 198, 936
Braness, G. A., 1746
Branson, T. F., 1905
Braun, H. E., 1339
Breen, J. P., 685
Brenner, R. J., 1735
Brewer, G. J., 1060
Brewer, M. J., 379, 1638
Brindley, W. A., 790
Brooks, G. W., 431
Brown, H. E., 1216
Brown, Jr., A. H., 1275
Brown, M. W., 1823
Browning, H. W., 1001
Bruce, J. C., 927
Brunson, K. E., 408
Bryant, J. E., 542
Bryant, V. M., 126, 237
Bugg, R. L., 408
Bull, D. L., 1145
Buntin, G. D., 277, 1913
Buonaccorsi, J., 1774
Burand, J. P., 1329
Burbutis, P. P., 954
Burd, J. D., 897
Burg, J. G., 1262, 1266
Burkholder, W. E., 1047
Burnett, P. A., 674
Burton, R. L., 897
Bush, L., 1619
Butts, R. A., 140, 450, 1591
Byford, R. L., 367
Bynum, Jr., E. D., 1869, 1879

C
Calhoun, D. S., 674
Camin, V., 1283
Campanhola, C., 1404
Campbell, C. D., 1662
Campbell, J. B., 191
Capinera, J. L., 1163
Carey, J., 1283
Carlson, R. B., 1630
Carpenter, J. E., 25, 1705
Carrick, A., 1196
Carson, M. A., 324
Cavazos, R., 285
Chagnon, M., 457
Chamberlin, J. R., 619
Chan, Jr., H. T., 532
Chandler, L. D., 1699
Chang, D.C.Y., 1499
Chang, H. B., 1695
Charlet, L. D., 132
Chianese, R. J., 1508
Cho, J. J., 136
Chouinard, G., 1827
Cilek, J. E., 756
Clancy, K. M., 552
Clark, J. D., 1686
Clayton, T. E., 1242
Clements, S. J., 558
Cline, L. D., 120
Coble, H. D., 267, 300
Cochran, D. G., 1412
Cogburn, R. R., 987
Collins, A. M., 61
Connelly, A. E., 215
Corcoran, R. J., 1304, 1768
Cossentine, J. E., 1399
Coster, D. C., 1746
Cowan, D. C., 1448
Cowley, J. M., 1763
Cranshaw, W. S., 844, 875
Croft, B. A., 750
Crosby, B. L., 367
Cunningham, R. T., 1672
Curtis, C. E., 1686

D
Danka, R. G., 61
Darrah, L. L., 1053
Dary, O., 28
Dauterman, W. C., 1635
Davis, P. M., 290, 294
Day, E. R., 515
DeFoliart, G. R., 891
Degheele, D., 785
Dennehy, T. J., 1, 7, 41, 230, 1119
Diawara, M. M., 337
Dicke, F. F., 625
Dively, G. P., 610
Dougherty, E. M., 445
Dowd, P. F., 402
Dowell, R. V., 528
Drees, B. M., 285
Duncan, R. R., 680
Dunley, J. E., 750
Durant, J. A., 1577
Dutcher, J. D., 408

E
Eaton, R. R., 1717
Eigenbrode, S. D., 1609
Elkinton, J. S., 423, 1329
Elliott, N. C., 1905
Ellis, C. R., 256, 260
Elsey, K. D., 1837
Englberger, K. G., 1763
Epsky, N. D., 1163
Estienne, M. J., 1262

F
Fargo, W. S., 224, 886, 1796
Fenigstein, A., 390
Fergusson-Kolmes, L. A., 41
Ferro, D. N., 806, 1364
Fincher, G. T., 94
Finson, N., 49
Firko, M. J., 34, 1140
Fisher, J. R., 1905

Fitsakis, T., 564
Flanders, K. L., 1028
Fleischer, S. J., 1100
Flinn, P. W., 1604
Forney, C. F., 198
Forschler, B. T., 841, 1454
Foster, J. E., 1920
Foster, S. P., 1544
Frank, R., 1339
Frisch, T., 570
Fuester, R. W., 954, 1508
Funderburk, J. E., 1818, 1899

G
Gaffney, J. J., 520
Garcia, R., 927
Gardner, W. A., 841, 1454
Gaugler, R., 713
Gauthier, N. L., 1833
Gbur, E. E., 1275
Geden, C. J., 776
George, D. M., 126
Georghiou, G. P., 28
Georgis, R., 713
Gharib, A. H., 436
Gibb, T. J., 650, 1562
Gilchrist, D. G., 1353
Gilstrap, F. E., 431
Gingras, J., 457
Glancey, B. M., 56
Glenn, D. M., 1823
Godfrey, L. D., 1370, 1850
Gonzalez, A. L., 644
Gonzalez, D., 593
Goodwin, R. H., 445
Gould, W. P., 520
Grace, J. K., 1753
Grafius, E., 1417
Grafton-Cardwell, E. E., 741, 1128
Granett, J., 1128
Grauke, L. J., 1782
Gray, M. E., 1196
Green, T. A., 1503
Greenstone, M. H., 1717
Gross, H. R., 1010
Grout, T. G., 1802
Guthrie, W. D., 625, 1080

H
Hagstrum, D. W., 1604
Halbert, S. E., 1710
Hall, F. R., 1135
Hall, H., 247, 251
Hammack, L., 185
Haniotakis, G., 564
Hansen, J. D., 532
Hanson, B. K., 1597
Hanson, P. E., 461
Hara, A. H., 532
Harbo, J. R., 818
Hardin, M. R., 954
Hardman, J. M., 570
Harlow, C. D., 1175
Harris, E. J., 417
Harris, J. W., 818
Hartsell, P. L., 936, 1289, 1294
Hawthorne, D. J., 230
Hayes, J. L., 34, 855
Heard, T. A., 1768
Heath, R. R., 1344
Heather, N. W., 1304, 1768
Hellmich II, R. L., 61
Henneberry, T. J., 470, 1242
Herbert, Jr., D. A., 515, 1894
Hescock, R., 1388
Hewings, A. D., 306
Higgins, R. A., 650, 1562
Hill, N. S., 337
Hill, S. B., 1827
Hoffman, E., 1668
Hoffmann, M. P., 902
Hogg, D. B., 1024
Hogsette, J. A., 1270
Holler, T. C., 1216
Hollinger, S.E., 476
Hollingsworth, C. F., 1833
Holmes, R. S., 897
Holtzer, T. O., 1370, 1850
Hong, Y. S., 825, 837
Horner, N. V., 1619
Hough-Goldstein, J., 87, 1645
Hoy, C. W., 148, 971, 1135
Hsiao, T. H., 790
Huckaba, R. M., 300
Hudson, R. D., 1913
Hughes, G. A., 1957
Hull, L. A., 218, 727, 965
Hutchison, W. D., 470

I
Ioannidis, P. M., 1417
Irwin, M. E., 306, 476
Isard, S. A., 306, 476
Isenhour, D. J., 337, 680

J
Jang, E. B., 537, 1298
Jansson, R. K., 581
Jayas, D. S., 1933
Jenkins, J. N., 1943
Jensen, B. M., 1024
Jensen, K. B., 333
Jensen, L. B., 1399
Jerie, P. H., 1334
Johnson, J. A., 202
Johnson, K.J.R., 1001
Johnson, M. W., 49
Jones, V. P., 484
Jones, W. G., 17

K
Kadir, H. A., 780, 801
Kain, W. C., 1609
Kamin-Belsky, N., 768
Karel, A. K., 996
Karim, A.N.M.R., 1208
Kaster, L. V., 324
Keating, S. T., 1329
Keena, M. A., 1128
Keil, C. B., 1180, 1645
Kennedy, G. G., 1662
Kfir, R., 76, 1677
Khachatourians, G. G., 371
Kharboutli, M. S., 1015
Killian, J. C., 218
Kimberling, D. N., 461
Kindler, S. D., 333, 685
King, E. G., 1140
Kirk, M., 638
Kirsten, F., 76
Klein, M., 390
Klun, J. A., 1837
Knapp, F. W., 756, 1262
Knight, R. L., 510
Knowles, C. O., 780, 801
Koehler, P. G., 917, 922, 1247, 1251, 1257, 1433, 1758
Kolb, T. E., 1771
Kolodny-Hirsch, D. M., 440
Kozyrakis, M., 564
Krause, S. C., 954
Kretchman, D. W., 971
Kring, T. J., 1095
Kumar, R., 1532

L
Lamb, R. J., 450, 1591
Lamp, W. O., 610
Lampert, E. P., 1175
Lance, D. R., 1861
Landolt, P. J., 1344
Langi, T. G., 1763
Lawrence, A. M., 1441
Lawson, D. S., 1550
Le Blanc, J.-P. R., 158
Lecrone, S. H., 581
Legg, D. E., 1532
Leidy, R. B., 978
Lenczewski, B., 1344
Liebhold, A. M., 423, 1774
Lin, C. P., 1499
Ling, M. Y., 1499
Lingren, P. D., 237
Liquido, N. J., 948
Lister, R. M., 1920
Liu, N., 776
Liu, Y.-B., 1154
Lloyd, J. E., 1532
Lofgren, C. S., 241, 814
Logan, P. A., 1833
Lopez, V. F., 1088
Lyle, W. M., 1869, 1879
Lyon, S. M., 806
Lysyk, T. J., 140
Lytle, K. A., 1235

M
Mack, T. P., 502, 1015, 1899
Mackay, P. A., 1951
Mackey, B., 936
Mahon, W. D., 810
Maindonald, J. H., 1544
Malinceski, M. K., 1790
Martin, J. M., 470
Martinez, A. J., 1540
Martinez–Carrillo, J. L., 363
Martinson, T. E., 1, 7, 1119
McBride, D. K., 1630
McCarty, J. C., 1943
McCutchen, B. F., 1404
McEwen, F. L., 1339
McGuire, M. R., 1652
McLaughlin, J. R., 99
McLeod, P., 1558, 1597
McNab, S. C., 1334
McPherson, R. M., 311
Meagher, R. L., 1424
Meehan, M. E., 324
Meinke, L. J., 601, 1235
Mendel, M. J., 1158
Messing, R. H., 750
Metterhouse, W. W., 1508
Michels, Jr., G. J., 1480
Miller, D. R., 680
Miller, G. T., 528, 942
Miller, J. C., 461
Miller, M. G., 1899
Miller, T. A., 363
Miranpuri, G. S., 371
Mitchell, R. G., 206
Mitchell, W. C., 136
Mize, T. W., 1381
Moellenbeck, D. J., 1889
Moffitt, H. R., 1316
Moreno, D. S., 1227, 1540
Morgan, C. E., 1717
Mori, K., 99
Morrill, W. L., 656
Morse, J. G., 1169
Moser, B. A., 922, 1257
Moss, J. I., 520, 537
Motoyama, N., 1635
Mueller, A. J., 1108, 1203, 1625
Mulder, R., 866
Murray, K. D., 423
Murry, R. E., 237

N
Nabors, M. W., 680
Nakagaki, B. J., 891
Nasruddin, A., 1812
Negron, J. F., 1681
Nelson, H. D., 1289
Nettleton, S. Y., 1135
Nielsen, G. R., 610
Nigg, H. N., 810
Nordheim, E. V., 1943
Norman, J. M., 1370, 1850
Nyrop, J. P., 1, 7, 570, 1119

O
Obrycki, J. J., 625
Okamoto, R. Y., 417
de Oliveira, D., 457
Olson, S. M., 1818
Osman, A. A., 353, 358
Ownby, J. D., 897

P
Paine, T. D., 1790
Palumbo, J. C., 224, 1796
Panizzi, A. R., 103
Parker, F. D., 1189, 1468, 1476
Parsons, E., 28
Pasteur, N., 28
Patterson, R. S., 917, 922, 1247, 1251, 1257, 1433, 1758
Paulson, G. S., 1437
Payne, J. A., 1782
Peairs, F. B., 1691
Pedersen, J. R., 1381
Pedigo, L. P., 290, 294
Pendleton, M., 237
Peng, C., 1515
Pereira, R. M., 1657
Perfecto, I., 65
Peterson, N. C., 587, 1806
Pfeiffer, D. G., 218
Pierce, R. R., 1735
Plapp, Jr., F. W., 1404
Podgwaite, J. D., 423, 440, 1329
Porter, D. R., 669
Porter, M. R., 1691
Porter, S. D., 866
Preisler, H. K., 1433
Price, B. D., 1041
Prichard, D. L., 1270
Prokopy, R. J., 1503
Proshold, F. I., 1485, 1492
Pryor, N. W., 1145
Purcell, M., 114

Q
Quinn, M. A., 1710
Quiroz, C., 1920
Quisenberry, S. S., 317, 1889

R
Racette, G., 1827
Radcliffe, E. B., 1028
Ragsdale, D. W., 1028
Rajab, M. S., 1158
Rajotte, E. G., 218, 965
Ravlin, F. W., 1100
Raworth, D. A., 558
Reardon, R. C., 440, 1100
Reed, C. R., 1381
Reed, G. L., 693
Reid, C. D., 83
Reierson, D. A., 736
Reimer, N. J., 56
Reinecke, J. P., 633
Reissig, W. H., 1, 7, 727, 1119
Rice, M. E., 650
Richards, C. B., 17
Richards, G. I., 1802
Ridgway, R. L., 1320
Riley, T. J., 1681
Rinderer, T. E., 61
Ring, D. R., 1001, 1782
Ritcey, G., 1339
Robacker, D. C., 1227
Robb, K. L., 1790
Roberts, D. W., 1657
Robertson, J. L., 71, 1957
Robinson, J. F., 317, 674
Rogers, R.E.L., 570
Roth, J. P., 94
Ruff, J. P., 1270
Russ, R. V., 810
Rust, M. K., 181, 510, 736
Rutz, D. A., 776
Ryoo, M. I., 825, 837

S
Saito, K., 1635
Salguero Navas, V. E., 1818
Sanchez, M., 1227
Savin, N. E., 1957
Saxena, R. C., 664, 1208
Schaalje, G. B., 140
Schatz, B. G., 1597
Schatzki, T. F., 489
Scheffrahn, R. H., 170, 912, 1525
Schmidt, K. M., 659
Schmitt, D. P., 267
Schneider, R. W., 317
Schotzko, D., 328, 1083, 1725
Schouest, Jr., L. P., 363
Schowalter, T. D., 212, 215
Schwartz, B. E., 1047
Schwarz, M., 1837
Scott, J. G., 41, 776
Sedlacek, J. D., 1041
Sexton, J. M., 212
Shapas, T. J., 176
Shapiro, M., 71
Sharma, H. C., 1088
Sharma, R., 1424
Sharp, J. L., 520
Shasha, B. S., 1652
Shaver, T. N., 1216
Shaw, R. H., 879
Shean, B., 844
Sheets, T. J., 978
Shelton, A. M., 1609
Shen, S. K., 402
Sher, R. B., 165
Shields, E. J., 165
Showers, W. B., 879
Shumway, D. L., 1771
Sibbett, S., 1448
Siddiqui, M., 1041
Sikorowski, P. P., 1441
Silverman, J., 176

Simonaitis, R. A., 1926
Singhal, S. S., 1424
Sisco, R., 324
Sivasupramaniam, S., 353, 358
Sivier, K. R., 476
Skoda, S. R., 191
Slansky, Jr., F., 103, 1068
Slosser, J. E., 1619
Smelser, R. B., 879
Smith, C. M., 328, 1083, 1725
Smith, J. L., 181
Smith, Jr., J. W., 1001
Smith, R. L., 1668
Smitley, D. R., 587, 1806, 1812
Snow, J. W., 1782
Soderstrom, E. L., 198, 936
Soroka, J. J., 1951
Southern, P. S., 1175
Souza, E. J., 328
Sower, L. L., 206
Sparks, T. C., 367
Speese, III, J., 1842
Spike, B. P., 1585
Spomer, S. M., 1850
Springer, T. L., 333, 685
Spurgeon, D. W., 1108, 1203, 1625
Stadelbacher, E. A., 496
Stamper, J. H., 810
Stark, J. D., 1460, 1503
Steelman, C. D., 756, 1275
Stevens, M. M., 795
Steward, V. B., 1095
Stewart, R. K., 830
Stoner, K. A., 1609
Streett, D. A., 1652
Studebaker, G. E., 1625
Su, N.-Y., 170, 912, 1525
Summerlin, J. W., 94
Summers, C. G., 638, 1353
Sumner, H. R., 1010
Sutter, G. R., 1861, 1905
Swift, F. C., 1348
Szeto, S., 558

T
Tabashnik, B. E., 49, 136, 703
Talekar, N. S., 1499
Tatman, K. M., 1320
Taylor, D. B., 927
Taylor, P. S., 165
Taylor, S. E., 879
Tebbets, J. S., 1289, 1294, 1448, 1686
Temple, S. R., 638
Tenbrink, V. L., 532
Teulon, D.A.J., 1771
Tewksbury, L. A., 1833
Thalman, R. K., 1460
Thier, R. W., 962
Thomas, G. D., 191
Thomas, W., 247, 251
Thomas, W. M., 466
Thompson, R. A., 317
Thorpe, K. W., 1320
Throne, J. E., 1926
Tisler, A. M., 87
Tiwari, N. K., 1424
Toba, H. H., 1316
Tollefson, J. J., 1585
Tolley, G., 1275
Tompkins, G. J., 445
Treacy, M. F., 659
Trichilo, P. J., 593
Troxclair, Jr., N. N., 1196
Trumble, J. T., 379, 1638
Tumlinson, J. H., 99
Turick, L. L., 1163
Twardus, D., 1774

U
Umbeck, P. F., 1943
Uyeda, K. A., 87

V
Vail, P. V., 1289, 1294, 1448
Valenzuela, J., 1283
Van Laecke, K., 785
Vander Meer, R. K., 814
Vargas, R. I., 1460, 1503, 1695
Varis, A.-L., 1037
Veierov, D., 390
Velusamy, R., 664
Venables, L., 1320
Vick, K. W., 1604
Vincent, C., 1827
Vinson, S. B., 285, 866
Vitale, G. I., 176
Vivar, H. E., 674
Voshell, Jr., J. R., 1220

W
Wackers, F. L., 408
Wadleigh, R. W., 1247, 1433
Wakabayashi, N., 1672
Walgenbach, D. D., 1196
Walgenbach, J. F., 978, 1662
Walker, G. P., 17
Walton, G. S., 440
Waskom, R. M., 680
Watson, D. W., 1532
Watson, T. F., 353, 358
Way, M. O., 987
Weatherby, J. C., 962
Webb, J. D., 1266
Webb, R. E., 1320
Weber, D. C., 1364
Webster, J. A., 669
Wedberg, J. L., 1024
Weires, R. W., 1550
Weiss, M. J., 1597, 1630
Weissling, T. J., 601, 1235
Welch, J. B., 1189, 1468, 1476
Welter, S. C., 114
Whalon, M. E., 1417
Wheeler, G. S., 1068
White, N.D.G., 1933
Whiting, D. C., 1544
Wilde, G., 247, 251
Williams, D. F., 814
Williams, D. W., 1508
Williams, III, L., 1710
Williams, R. N., 1515
Wilson, L. T., 593, 638, 902
Wilson, R. L., 693
Wiseman, B. R., 337, 680, 693
Wisniewski, M. E., 1823
Wofford, P. L., 202
Wolfenbarger, D. A., 126
Woods, S. A., 423
Woodson, W. D., 886
Wool, D., 768
Worley, J., 1227
Worrall, W. D., 1619
Wright, J. E., 1699
Wright, V. F., 1381
Wyman, J. A., 436, 644

Y
Yearian, W. C., 1095
Yendol, W. G., 542
Yin, Y. F., 1499
Yokoyama, V. Y., 528, 942
Yoo, C. K., 825
Young, J. R., 25
Yudin, L. S., 136

Z
Zalom, F. G., 902
Zareh, N., 1169
Zehnder, G. W., 87, 515, 1842
Zemetra, R. S., 328
Zettler, J. L., 721, 763
Zhu, K. Y., 790
Zimmerman, R. J., 875

CUMULATIVE SUBJECT INDEX
Journal of Economic Entomology
Volume 84, 1991

A

abamectin, insecticide, 1758
Acari, diafenthiuron, 780
acaricide resistance,
hexythiazox, 727
Panonychus ulmi, 727
acaricides, European red mite, 1348
fenvalerate, 1348
Panonychus ulmi, 1
resistance management, 1
resistance management, 7
Tetranychus urticae, 7
Acer saccharum, insect feeding sites, 1771
Thysanoptera, 1771
acetylcholinesterase, Lygus hesperus, 790
mosquitoes, 28
Musca domestica, 28
purification, 790
Acheta domesticus, human food, 891
acifluorfen, feeding injury, 300
Sericothrips variabilis, 300
active site insensitivity,
Haematobia irritans, 367
pyrethroid resistance, 367
Acyrthosiphon pisum, pea cultivars, 1951
additive genetic variation, heritability of resistance, 34
tolerance, 34
adenosine triphosphate,
Asynonychus godmani, 198
egg mortality, 198
aerial, isokinetic, 476
sampler, 476
aerial sampling, aphids, 306
suction trap, 306
Africanized bees, *Apis mellifera*
drones, 61
mating, 61
agricultural contraband, screening, 489
Agrotis ipsilon, migration, 879
airline baggage, agricultural contraband, 489
screening, 489
aldicarb, *Apis mellifera*, 810
foraging inhibition, 810
alfalfa, *Otiorhynchus ligustici*, 1388
plant bugs, 1024
sampling, 1388
Spissistilus festinus, 1889
alfalfa weevil, crop loss assessment, 610
potato leafhopper, 610
alfalfa yield, fungus diseases, 1353
stand persistence, 1353
alternate host plants,
Anthonomus grandis, 1699
boll weevil, 1699
Amblyseius andersoni, resistance, 750
Amyelois transitella, cold tolerance, 202
Plodia interpunctella, 202
Anasa tristis, cultural control, 224
insect–plant interactions, 886
spatial distribution, 1796
Anastrepha ludens, cyromazine, 1540
cyromazine, 1540
Mexican fruit fly, 1540
Mexican fruit fly, 1540
Anthonomus grandis grandis, mineral oil, 659
pollen feeding, 126
Anthonomus grandis, alternate host plants, 1699
boll weevil, 1699
antibiosis, fall armyworm, 337
Sorghum bicolor, 337
Anticarsia gemmatalis, Nezara viridula, 311
antifeedant, Colorado potato beetle, 1154
Leptinotarsa decemlineata, 1158
limonoids, 1158
ants, biological control, 65
Aonidiella aurantii, buprofezin, 1802
insecticide toxicity, 17
aphicides, spinach, 1558
aphid vectors, beet yellows virus, 538
Aphididae, suction traps, 1710
aphids, aerial sampling, 306
suction trap, 306
Aphis gossypii, insecticide resistance, 741
Apis mellifera, aldicarb, 810
pollination, 457
Rubus idaeus, 457
drones, Africanized bees, 61
apple, radioactive label, 1827
recapture, 1827
application timing, residues, 558
strawberry aphid, 558
Archips agyrospila, azinphosmethyl, 1399
artificial infestation, *Contarinia schulzi*, 1060
host plant resistance, 1060
Asian cockroach, *Blattella asahinai*, 1251
reproductive biology, 1251
Asymmetrasca decedens,
fenpropathrin residues, 390
Spodoptera littoralis, 390
Asynonychus godmani, citrus, 936
egg mortality, 198
ATPases, diafenthiuron, 801
attractants, behavior, 1468
Dacus oleae, 564
Diabrotica balteata, 99
liver, 1189
mass trapping, 564
screwworm flies, 1189
screwworms, 1468
semiochemicals, 99
toxicants, 1344
Trichoplusia ni, 1344
avocados, fruit flies, 1308
azamethiphos, cross resistance, 1635
Musca domestica, 1635
azinphosmethyl, *Archips agyrospila*, 1399
permethrin, 358
pink bollworm, 358
resistance, 1399

B

Bacillus thuringiensis var. *israelensis*, mushrooms, 1180
san diego, feeding stimulants, 87
Leptinotarsa decemlineata, 87
Bacillus thuringiensis, Colorado potato beetle, 806
diflubenzuron, 1320
gypsy moth, 1320
insecticide resistance, 49
spray deposition, 542
temperature, 806
thuringiensin, 436
bacterial contamination, gamma irradiation, 1441
Helicoverpa zea, 1441
Bactrocera jarvisi, Bactrocera tryoni, 1304
quarantine treatment, 1304
Bactrocera tryoni, Bactrocera jarvisi, 1304
thermal mortality, 1768
Bactrocera xanthodes, methyl bromide, 1763
baculovirus, *Cydia pomonella (L.)*, 1448
walnuts, 1448
sterol requirements, 445
bait, abamectin, 1758
insecticide, 1758
bait toxicants, bioassays, 170
subterranean termites, 170
baiting, control, 510
Iridomyrmex humilis, 510
baits, fenoxycarb, 814
Solenopsis invicta, 814
barley, *Diuraphis noxia*, 669, 674
Limothrips denticornis, 1630
plant resistance, 674
resistance, 669

barley, sampling, 1630
barley yellow dwarf virus, life cycle, 1920
Sitobion avenae, 1920
Beauveria bassiana, formulation, 1657
Metarhizium anisopliae, 1657
beet yellows virus, aphid vectors, 638
behavior, attractants, 1468
behavior, screwworms, 1468
benzoylphenyl ureas, *Spodoptera exigua*, 785
synergism, 785
binomial, pest management, 148
binomial sampling, *Diuraphis noxia*, 140
variance estimation, 140
bioassay, entomogenous nematodes, 841
Phyllophaga, 841
bait toxicants, 170
malathion resistance, 721
red flour beetle, 721
subterranean termites, 170
biological control, ants, 65
Cinara cronartii, 76
entomopathogenic nematodes, 713
Ficus microcarpa var. *nitida*, 1790
Glyptapanteles flavicoxis, 954
Gynaikothrips ficorum, 1790
Lariophagus distinguendus, 837
Leptinotarsa decemlineata, 1645
Lymantria dispar, 954
maize, 65
Pauesia sp., 76
Perillus bioculatus, 1645
Popillia japonica, 713
Sitophilus oryzae, 837
biological variation, *Lymantria dispar*, 71
nuclear polyhedrosis virus, 71
biosafety, *Gossypium*, 1943
pollen, 1943
Biosteres arisanus, *Dacus dorsalis*, 417
black flies, development, 1220
Blattella asahinai, Asian cockroach, 1251
germanica, chlorpyrifos, 1746
coprophagy, 176
insect growth regulators, 917
insecticide resistance, 736
insecticides, 502
locomotor activity, 1520
locomotor activity, 1520
pyrethroids, 1247
blood, *Ctenocephalides felis*, 1257
larval development, 1257
boll weevil, *Anthonomus grandis*, 1699
bollworm, gossypol, 466
boric acid, *Coptotermes formosanus*, 1753
Reticulitermes flavipes, 1753
Brassica napus, insecticides, 1597
Phyllotreta cruciferae, 1597
Brassica oleracea, *Plutella xylostella*, 1609
Brassica spp., lygus, 450
seasonal abundance, 450
breeding, laying workers, 818
plant resistance, 680
somaclonal variation, 680
buprofezin, *Aonidiella aurantii*, 1802
phenology, 1802
Busseola fusca, *Chilo partellus*, 1677

C

Calocoris angustatus, plant resistance, 1088
norvegicus, pistachios, 114
cantaloupe, cover crops, 408
carbaryl resistance, house fly, 1145
resistance mechanisms, 1145
carbohydrates, greenbug, 897
wheat, 897
carbon dioxide, stored wheat, 1933
carboxylesterase, chromosome translocation, 1175
Myzus nicotianae, 1175
Caribbean fruit fly, mango, 520
research tool, 520
cattle biting louse, little blue
cattle louse, 1266
systemic insecticide, 1266
cattle resistance, economics, 1275
Haematobia irritans, 1275
Ceratitis capitata, genetic sexing, 1705
heat stress, 537
radiation, 1705
chemigation, lithium sulfate, 1869, 1879
chemigation, pesticide application, 1869, 1879
Chilo partellus, *Busseola fusca*, 1677
diapause, 1677
chinch bug, migration, 1681
Chironomus tepperi, organophosphates, 795
chlorpyrifos, *Blattella germanica*, 1746
cyfluthrin, 1746
chlorpyrifos-methyl, insecticide degradation, 1926
zeamais, 1926
Choristoneura occidentalis, mixtures, 1957
multinomial logit model, 1957
sorbic acid, 552
chromosome translocation, carboxylesterase, 1175
Myzus nicotianae, 1175
Cinara cronartii, *Pauesia* sp., 76
citrus, *Asynonychus godmani*, 936
economic damage, 241
fumigants, 936
Solenopsis invicta, 241
Cochliomyia hominivorax, mass production, 927
oviposition stimulants, 185
cold tolerance, *Amyelois transitella*, 202
Plodia interpunctella, 202
Coleoptera, sunflower, 132
Zygogramma exclamationis, 132
collections, screwworms, 1476
sentinel animal alternative, 1476
Colorado potato beetle, antifeedant, 1154
Bacillus thuringiensis, 806
insecticide, 1842
insecticide resistance, 1417
limonin salt, 1154
cone and seed insects, *Lepesoma lecontei*, 212
Leptoglossus occidentalis, 215
Pseudotsuga menziesii, 212
Contarinia schulzi, host plant resistance, 1060
sorghicola, Johnsongrass, 431
control, baiting, 510
Coptotermes formosanus, 1525
diiodomethyl para-tolyl sulfcone, 1525
economics, 1270
Haematobia irritans, 1270
Iridomyrmex humilis, 510
controlled atmospheres, *Epiphyas postvittana*, 1544
quarantine treatment, 1544
coprophagy, *Blattella germanica*, 176
hydramethylnon, 176
Coptotermes formosanus, boric acid, 1753
diiodomethyl para-tolyl sulfcone, 1525
Reticulitermes flavipes, 1753
corn, economic injury levels, 290
European corn borer, 1370
Orius insidiosus, 83
Papaipema nebris, 290
photosynthesis, 1370
population dynamics, 1041
searching capacity, 83
Sitophilus zeamais, 1041
Solenopsis invicta, 285

sorghum, 285
corn earworm, fall armyworm, 619
Helicoverpa zea, 1833
corn rootworms, nontarget species, 1235
semiochemicals, 601
sequential sampling, 165
corn yield, drought stress, 1850
European corn borer, 1850
injury, 294
Papaipema nebris, 294
cost–benefit ratio, *Phaseolus vulgaris*, 996
cotton, *Aphis gossypii*, 741
insecticide resistance, 741
Pectinophora gossypiella, 470
treatment threshold, 470
cover crops, cantaloupe, 408
Geocoris punctipes, 408
crop loss assessment, alfalfa weevil, 610
cross resistance, azamethiphos, 1635
Tetranychus urticae, 41
Cryptolestes pusillus, longevity, 120
progeny production, 120
Ctenocephalides felis, Dyar.s rule, 922
larval development, 1257
cucurbitacin, western corn rootworm, 1861
cultural control, *Anasa tristis*, 224
Anticarsia gemmatalis, 311
Frankliniella occidentalis, 136
Nezara viridula, 311
pest management, 224
Solanum tuberosum, 581
tomato spotted wilt virus, 136
wireworms, 581
Curculio caryae, host range, 1782
pecan weevil, 1782
cut flowers, fumigation, 532
pests, 532
Cydia pomonella (L.), walnuts, 1448
Grapholita molesta, 942
methyl bromide fumigation, 1289
nectarines, 1686
quarantine treatment, 1316
quarantines, 528
walnuts, 1448
cyfluthrin, *Blattella germanica*, 1746
chlorpyrifos, 1746
cypermethrin, hybridization, 1140
selection, 1140
cyromazine, *Anastrepha ludens*, 1540
Mexican fruit fly, 1540

D

Dacus cucurbitae, synthetic attractants, 1672
Dacus dorsalis, *Biosteres arisanus*, 417
heat inactivation, 1298
laboratory rearing, 417
parasitoids, 1503
parasitoids, 1503
Dacus oleae, mass trapping, 564
Dacus spp., quarantine treatment, 948
Daktulosphaira vitifoliae, dispersal, 230
damage, lygus, 1591
rating methods, *Ostrinia nubilalis*, 324
rating methods, plant resistance, 324
defoliation, dry weight, 1562
Lymantria dispar, 1508
population dynamics, 1508
western corn rootworm, 1562
Delia antiqua, insecticides, 1339
Dendroctonus pseudotsugae, semiochemical baiting, 962
density dependence, epizootiology, 423
Lymantria dispar, 423
detrended correspondence analysis, Aphididae, 1710
suction traps, 1710
development, black flies, 1220
ecology, 1220
Lariophagus distinguendus, 825
Sitophilus granarius, 1047
stored products, 1047
temperature, 825
Diabrotica balteata, semiochemicals, 99
Diabrotica undecimpunctata howardi, peanuts, 1894
Diabrotica virgifera virgifera, insecticides, 1905
leaf area distribution, 1585
spp., granule application, 256, 260
diafenthiuron, Acari, 780
ATPases, 801
toxicity, 780
diapause, *Busseola fusca*, 1677
Chilo partellus, 1677
Diatraea saccharalis, *Eoreuma loftini*, 1424
glutathione S-transferase, 1424
dietary regulation, digestive enzymes, 768
Ephestia cautella, 768
diets, *Acheta domesticus*, 891
human food, 891
diflubenzuron, *Bacillus thuringiensis*, 1320
gypsy moth, 1320
digestive enzymes, dietary regulation, 768
Ephestia cautella, 768
diiodomethyl para-tolyl sulfone, control, 1525
Coptotermes formosanus, 1525
discriminating bioassay, resistance, 1119
resistance management, 1119
doses, insecticide, 763
Tribolium spp., 763
disinfestation, *Bactrocera tryoni*, 1768
thermal mortality, 1768
dispersal, *Daktulosphaira vitifoliae*, 230
migration, 1717
viticulture, 230
distribution, sheep ked, 1532
Diuraphis noxia, barley, 669
binomial sampling, 140
geostatistics, 1725
host plant resistance, 333, 685, 1725
host plants, 1691
plant resistance, 328, 674
preconditioning, 1083
wheat, 328
DNA hybridization, *Lymantria dispar*, 1329
nuclear polyhedrosis virus, 1329
dose–mortality bioassays, *Heliothis virescens*, 363
resistance monitoring, 363
Douglas-fir, *Dendroctonus pseudotsugae*, 962
moth, 461
semiochemical baiting, 962
drought stress, corn yield, 1850
European corn borer, 1850
dry weight, defoliation, 1562
western corn rootworm, 1562
Dyar.s rule, *Ctenocephalides felis*, 922
instars, 922

E

ecology, black flies, 1220
development, 1220
economic damage, citrus, 241
Lespedeza cuneata, 277
Plathypena scabra, 277
Solenopsis invicta, 241
economic injury levels, corn, 290
Papaipema nebris, 290
economic thresholds, *Helicoverpa zea*, 1577
Heliothis virescens, 1577
economics, cattle resistance, 1275
control, 1270

Haematobia irritans, 1275, 1270
egg mortality, *adenosine triphosphate*, 198
Asynonychus godmani, 198
Elasmopalpus lignosellus, insecticide degradation, 1899
Empoasca fabae, treatment thresholds, 644
endoparasitoids, pesticides, 844
entomogenous nematodes, bioassay, 841
Phyllophaga, 841
white grubs, 1454
Popillia japonica, 713
entomopathogens, *Melanoplus sanguinipes*, 1652
starch encapsulation, 1652
Eoreuma loftini, *Diatraea saccharalis*, 1424
glutathione S-transferase, 1424
pheromones, 1216
sugarcane, 1001
Ephestia cautella, digestive enzymes, 768
epicarp lesions, *Calocoris norvegicus*, 114
pistachios, 114
Epiphyas postvittana, controlled atmospheres, 1544
epizootiology, density dependence, 423
Lymantria dispar, 423
Eriosoma lanigerum, plant hormones, 1823
esterase, *Lasioderma serricorne*, 402
Eucosma sonomana, phenology, 206
Euonymus alata 'Compacta', *Tetranychus urticae*, 1806
'Compacta', water stress, 1806
European corn borer, corn, 1370
corn yield, 1850
European red mite, acaricides, 1348
pesticides, 570
Typhlodromus pyri, 570
Eurycotis floridana, *Periplaneta fuliginosa*, 1735
spatial distribution, 1735

F

fall armyworm, corn earworm, 619
sorghum, 619
Sorghum bicolor, 337
farm-stored wheat, pitfall traps, 1381
fecundity, *Heliothis virescens*, 1404
pyrethroid resistance, 1404
feeding, insecticides, 397
feeding, *Nephotettix*, 1208
rice tungro viruses, 1208
spruce budworm, 397
feeding injury, acifluorfen, 300
Sericothrips variabilis, 300
feeding stimulants, *Bacillus thuringiensis* var. san diego, 87
Leptinotarsa decemlineata, 87
feedlot environment, immature development, 191
Stomoxys calcitrans, 191
fenoxycarb, baits, 814
insect growth regulators, 965
Pheidole megacephala, 56
Platynota idaeusalis, 965
pyriproxyfen, 56
Solenopsis invicta, 814
fenpropathrin residues, *Spodoptera littoralis*, 390
fenvalerate, acaricides, 1348
European red mite, 1348
Ficus microcarpa var. *nitida*, biological control, 1790
Gynaikothrips ficorum, 1790
fluorescence, Mediterranean fruit fly, 1283
pteridine, 1283
food processing, host plant resistance, 971
thrips, 971
food-switch, legume, 103
Nezara viridula, 103
foraging inhibition, aldicarb, 810
Apis mellifera, 810
formulation, *Beauveria bassiana*, 1657
Metarhizium anisopliae, 1657
Frankliniella fusca, *Frankliniella occidentalis*, 1818
tomatoes, 1818
Frankliniella occidentalis, cultural control, 136
Frankliniella fusca, 1818
gloxinia, 1812
Thysanoptera, 1812
fruit flies, avocados, 1308
quarantine, 1308
fumigants, *Asynonychus godmani*, 936
citrus, 936
fumigation, cut flowers, 532
fungal endophytes, *Diuraphis noxia*, 685
host plant resistance, 685
fungus diseases, alfalfa yield, 1353

G

gamma irradiation, bacterial contamination, 1441
Helicoverpa zea, 1441
gelled diet, *Cochliomyia hominivorax*, 927
mass production, 927
generation mean analysis, *Rhopalosiphum maidis*, 1080
insecticide resistance, 1638
Spodoptera exigua, 1638
genetic sexing, radiation, 1705
Geocoris punctipes, cantaloupe, 408
cover crops, 408
geostatistics, *Diuraphis noxia*, 1725
Geranium, *Heliothis*, 851
nuclear polyhedrosis virus, 851
German cockroach, selection, 1412
girdling, *Spissistilus festinus*, 1203
translocation, 1203
gloxinia, *Frankliniella occidentalis*, 1812
Thysanoptera, 1812
glutathione S-transferase, *Diatraea saccharalis*, 1424
Glycine max, cost-benefit ratio, 996
Phaseolus vulgaris, 996
Glyptapanteles flavicoxis, *Lymantria dispar*, 954
Gossypium, infestation rates, 593
pollen, 1943
gossypol, bollworm, 466
model, 466
Gracillaridae, leafminers, 484
granule application, *Diabrotica* spp., 256, 260
granular insecticides, 256, 260
granular insecticides, *Diabrotica* spp., 256, 260
granule application, 256, 260
Grapholita molesta, *Cydia pomonella*, 942
juvenile hormone mimics, 942
greenbug, wheat, 897
ground pearls, *Margarodes meridionalis*, 1668
turf pest, 1668
guava, parasitoids, 1460
Tephritidae, 1460
Gynaikothrips ficorum, *Ficus microcarpa* var. *nitida*, 1790
Gypchek, gypsy moth, 440
nuclear polyhedrosis virus, 440
gypsy moth, *Bacillus thuringiensis*, 1320
Douglas-fir, 461
Gypchek, 440
host suitability, 461

H

Haematobia irritans, active site insensitivity, 367
cattle resistance, 1275

control, 1270
insecticide resistance, 756
parasitoids, 94
hardwood forests, *Lymantria dispar*, 1100
sequential sampling, 1100
heat accumulation, *Eucosma sonomana*, 206
phenology, 206
heat inactivation, *Dacus dorsalis*, 1298
thermal death kinetics, 1298
heat stress, *Ceratitis capitata*, 537
heat treatments, *Cydia pomonella*, 528
quarantines, 528
Helicoverpa zea, bacterial contamination, 1441
corn earworm, 1833
Heliothis virescens, 1577
Heterodera glycines, 267
Macrosiphum euphorbiae, 978
moth migration, 237
pheromones, 1833
pollen studies, 237
Pseudoplusia includens, 1625
Trichogramma, 1662
Helicoverpa, *Heliothis*, 496
trace element labeling, 496
Heliothis virescens, economic thresholds, 1577
Helicoverpa zea, 1577
mating, 1492
pyrethroid resistance, 1404
reproduction, 1485
resistance monitoring, 363
Heliothis zea, *Orius insidiosus*, 1095
soybean, 515
Heliothis, *Helicoverpa*, 496
nuclear polyhedrosis virus, 851
complex, nocturnal activity, 855
hemocytes, *Melanoplus sanguinipes*, 371
mucopolysaccharides, 371
heritability of resistance, tolerance, 34
Heterocrossa rubophaga, resistance, 247
Rubus spp., 247
Heterodera glycines, *Helicoverpa zea*, 267
population development, 267
Heterorhabditis, Nematoda, 875
turfgrass thatch, 875
hexythiazox, acaricide resistance, 727
Panonychus ulmi, 727
Tetranychus pacificus, 1128
Tetranychus urticae, 1128
Hippodamia sinuata, *Schizaphis graminum*, 1480
host plant, *Diuraphis noxia*, 1083
preconditioning, 1083
host plant resistance, artificial infestation, 1060
Contarinia schulzi, 1060
Diuraphis noxia, 333, 685 1725
food processing, 971
fungal endophytes, 685
geostatistics, 1725
induced defenses, 1068
Lymantria dispar, 587
maize, 693
range grasses, 333
Schizaphis graminum, 1619
shade trees, 587
soybean, 1068
thrips, 971
wheat, 1619
host plants, *Anthonomus grandis grandis*, 126
Diuraphis noxia, 1691
life stage diversity, 1691
pollen feeding, 126
host preference, mungbean damage, 1499
Ostrinia furnacalis, 1499
host range, *Curculio caryae*, 1782
pecan weevil, 1782
host suitability, Douglas-fir, 461
gypsy moth, 461
Haematobia irritans, 94
parasitoids, 94
house fly, carbaryl resistance, 1145
human food, *Acheta domesticus*, 891
diets, 891
hybridization, selection, 1140
hydramethylnon, *Blattella germanica*, 176
coprophagy, 176
Hypera postica, shake-bucket, 650

I

immature development, feedlot environment, 191
Stomoxys calcitrans, 191
induced defenses, host plant resistance, 1068
soybean, 1068
infestation rates, *Gossypium*, 593
spider mites, 593
inheritance, *Amblyseius andersoni*, 750
resistance, 750
injury, corn yield, 294
Lygus rugulipennis, 1037
Papaipema nebris, 294
wheat, 1037
insect damage, alfalfa, 1024
plant bugs, 1024
insect density, *Anasa tristis*, 886
insect-plant interactions, 886
insect feeding sites, *Acer saccharum*, 1771
Thysanoptera, 1771
insect galls, *Eriosoma lanigerum*, 1823
plant hormones, 1823
insect growth regulators, *Blattella germanica*, 917
fenoxycarb, 965
Platynota idaeusalis, 965
sterility, 917
insect resistance, oviposition preference, 656
rice insects, 656
insect-plant interactions, *Anasa tristis*, 886
density, 886
insecticide, abamectin, 1758
bait, 1758
Colorado potato beetle, 1842
discriminating doses, 763
spray coverage, 1842
Tribolium spp., 763
insecticide control, *Mayetiola destructor*, 1913
wheat, 1913
insecticide degradation, chlorpyrifos-methyl, 1926
Elasmopalpus lignosellus, 1899
peanuts, 1899
Sitophilus zeamais, 1926
insecticide persistence, *Helicoverpa zea*, 978
Macrosiphum euphorbiae, 978
insecticide resistance, *Aonidiella aurantii*, 17
Aphis gossypii, 741
Bacillus thuringiensis, 49
Blattella germanica, 736
Colorado potato beetle, 1417
cotton, 741
generation means analysis, 1638
Haematobia irritans, 756
insecticide toxicity, 17
monogenic, 703
pest management threshold levels, 736
Plutella xylostella, 1135
pyrethroids, 1135
radiation, 25
selection, 49
Spodoptera exigua, 1638
Spodoptera frugiperda, 25
insecticide toxicity, *Aonidiella aurantii*, 17
insecticide resistance, 17
insecticide vapors, *Reticulitermes hesperus*, 181
soil, 181

insecticides, *Blattella germanica*, 502
Brassica napus, 1597
Delia antiqua, 1339
Diabrotica virgifera virgifera, 1905
feeding, 397
onions, 1339
oothecae, 502
Phyllotreta cruciferae, 1597
spruce budworm, 397
survival, 1905
instars, *Ctenocephalides felis*, 922
Dyar.s rule, 922
integrated pest management, pheromone traps, 1364
sweet corn, 1364
internode susceptibility, *Eoreuma loftini*, 1001
sugarcane, 1001
Iridomyrmex humilis, baiting, 510
isokinetic, aerial, 476
sampler, 476

J

Johnsongrass, *Contarinia sorghicola*, 431
parasitism, 431
juvenile hormone, *Melanoplus* spp., 1163
pest management, 1163
juvenile hormone mimics, *Cydia pomonella*, 942
Grapholita molesta, 942

L

laboratory rearing, *Biosteres arisanus*, 417
Dacus dorsalis, 417
Lariophagus distinguendus, biological control, 837
Sitophilus oryzae, 837
temperature, 825
larval application, larval infestations, 1010
Spodoptera frugiperda, 1010
larval development, blood, 1257
Ctenocephalides felis, 1257
larval infestations, larval application, 1010
Spodoptera frugiperda, 1010
Lasioderma serricorne, esterase, 402
Symbiotaphrina kochii, 402
laying workers, breeding, 818
leaf area distribution, *Diabrotica virgifera virgifera*, 1585
light interception, 1585
leaf surface waxes, *Brassica oleracea*, 1609
Plutella xylostella, 1609
leafminers, Gracillaridae, 484
sampling, 484
legume, food-switch, 103
Nezara viridula, 103
Lepesoma lecontei, Pseudotsuga menziesii, 212
Leptinotarsa decemlineata, Bacillus thuringiensis var. *san diego*, 87
biological control, 1645
limonoids, 1158
Perillus bioculatus, 1645
Leptoglossus occidentalis, cone and seed insects, 215
Pinus monticola, 215
Lespedeza cuneata, economic damage, 277
Plathypena scabra, 277
lesser peachtree borer, mating disruption, 218
life cycle, barley yellow dwarf virus, 1920
Sitobion avenae, 1920
life stage diversity, *Diuraphis noxia*, 1691
host plants, 1691
light interception, *Diabrotica virgifera virgifera*, 1585
leaf area distribution, 1585
limonin salt, antifeedant, 1154
Colorado potato beetle, 1154
limonoids, antifeedants, 1158
Leptinotarsa decemlineata, 1158
Limothrips denticornis, sampling, 1630
Lincoln index, population structure, 1437
Lissorhoptrus oryzophilus, Pythium spp., 317
lithium sulfate, chemigation, 1869, 1879
lithium sulfate, pesticide application, 1869, 1879
little blue cattle louse, cattle biting louse, 1266
liver, attractants, 1189
screwworm flies, 1189
locomotor activity, *Blattella germanica*, 1520
moving-image analysis, 1520
longevity, *Cryptolestes pusillus*, 120
progeny production, 120
Lycoriella mali, Bacillus thuringiensis var. *israelensis*, 1180
mushrooms, 1180
Lygocoris communis, Lygus lineolaris, 830
predators, 830
lygus, *Brassica* spp., 450
damage, 1591
oilseed rape, 1591
Lygus hesperus, acetylcholinesterase, 790
Lygus lineolaris, Lygocoris communis, 830
predators, 830
sequential sampling, 158
spatial dispersion, 158
Lygus rugulipennis, injury, 1037
Lymantria dispar, biological control, 954
defoliation, 1508
density dependence, 423
Glyptapanteles flavicoxis, 954
nuclear polyhedrosis virus, 71, 1329
sampling, 1774
sequential sampling, 1100
shade trees, 587
timed counts, 1774

M

Macrosiphum euphorbiae, Helicoverpa zea, 978
insecticide persistence, 978
maize, ants, 65
biological control, 65
host plant resistance, 693
Ostrinia nubilalis, 1053
resistance, 1053
genotypes, *Rhopalosiphum maidis*, 625
genotypes, *Zea mays*, 625
malathion resistance, bioassays, 721
red flour beetle, 721
mango, Caribbean fruit fly, 520
Margarodes meridionalis, ground pearls, 1668
mass production, *Cochliomyia hominivorax*, 927
gelled diet, 927
mass rearing, oviposition responses, 1695
Tephritidae, 1695
mass trapping, attractants, 564
Dacus oleae, 564
mating, Africanized bees, 61
Apis mellifera drones, 61
Heliothis virescens, 1492
pheromone traps, 1492
mating competition, Mexican fruit fly, 1227
mating disruption, lesser peachtree borer, 218
pheromones, 218
Mayetiola destructor, insecticide control, 1913
Mediterranean fruit fly, fluorescence, 1283
pteridine, 1283
Melanoplus sanguinipes, hemocytes, 371
starch encapsulation, 1652

Melanoplus spp., juvenile hormone, 1163
Melophagus ovinus, distribution, 1532
sheep ked, 1532
Metarhizium anisopliae, Beauveria bassiana, 1657
methyl bromide, *Bactrocera xanthodes*, 1763
residues, 1294
watermelon, 1763
methyl bromide fumigation, *Cydia pomonella*, 1289
unshelled walnuts, 1289
Mexican fruit fly, *Anastrepha ludens*, 1540
mating competition, 1227
migration, *Agrotis ipsilon*, 879
chinch bug, 1681
dispersal, 1717
sampling, 1717
mineral oil, *Anthonomus grandis grandis*, 659
pyrethroid, 659
mixtures, *Choristoneura occidentalis*, 1957
mode of action, pyrethroids, 1433
temperature, 1433
model, bollworm, 466
gossypol, 466
monogenic, insecticide resistance, 703
polygenic, 703
mosquitoes, *Musca domestica*, 28
moth migration, *Helicoverpa zea*, 237
pollen studies, 237
mound density, polygyny, 866
Solenopsis invicta, 866
moving-image analysis, *Blattella germanica*, 1520
activity, 1520
mucopolysaccharides, hemocytes, 371
Melanoplus sanguinipes, 371
multinomial logit model, *Choristoneura occidentalis*, 1957
mixtures, 1957
mungbean damage, host preference, 1499
Ostrinia furnacalis, 1499
Musca domestica, acetylcholinesterase, 28
azamethiphos, 1635
cross resistance, 1635
mosquitoes, 28
parasitoids, 776
mushrooms, *Bacillus thuringiensis* var. *israelensis*, 1180
Lycoriella mali, 1180
Myzus nicotianae, chromosome translocation, 1175
Myzus persicae, aphicides, 1558
endoparasitoids, 844
pesticides, 844
potato virus, 1028
spinach, 1558

N

nectarines, *Cydia pomonella*, 1686
packed fruit, 1686
Nematoda, *Heterorhabditis*, 875
Nephotettix, feeding, 1208
Nezara viridula, Anticarsia gemmatalis, 311
cultural control, 311
legume, 103
Noctuidae, pheromones, 902
nocturnal activity, *Heliothis complex*, 855
pheromone traps, 855
nontarget species, corn rootworms, 1235
semiochemicals, 1235
nuclear polyhedrosis virus, biological variation, 71
DNA hybridization, 1329
Geranium, 851
Gypchek, 440
gypsy moth, 440
Heliothis, 851
Lymantria dispar, 71, 1329

O

nutrition, steers, 1262
Stomoxys calcitrans, 1262
vision, 633
oak, *Bacillus thuringiensis*, 542
spray deposition, 542
oilseed rape, damage, 1591
lygus, 1591
onions, *Delia antiqua*, 1339
insecticides, 1339
oothecae, *Blattella germanica*, 502
insecticides, 502
organophosphates, *Chironomus tepperi*, 795
persistence, 795
Orius insidiosus, Heliothis zea, 1095
sampling methods, 1095
searching capacity, 83
Ostrinia furnacalis, host preference, 1499
Ostrinia nubilalis, pheromones, 1196
plant resistance, 324
resistance, 1053
Otiorhynchus ligustici, sampling, 1388
ovicides, plant phytotoxicity, 1550
oviposition preference, insect resistance, 656
rice insects, 656
oviposition responses, mass rearing, 1695
Tephritidae, 1695
oviposition stimulants, *Cochliomyia hominivorax*, 185
Providencia rettgeri, 185

P

packed fruit, *Cydia pomonella*, 1686
nectarines, 1686
Panonychus ulmi, acaricide resistance, 727
acaricides, 1
Papaipema nebris, corn, 290
injury, 294
papaya, *Dacus* spp., 948
quarantine treatment, 948
parasitism, *Contarinia sorghicola*, 431
Johnsongrass, 431
parasitoids, *Dacus dorsalis*, 1503
guava, 1460
Haematobia irritans, 94
host suitability, 94
Musca domestica, 776
population monitoring, 1503
pyrethroids, 776
Tephritidae, 1460
Pauesia sp., biological control, 76
Cinara cronartii, 76
pea cultivars, *Acyrthosiphon pisum*, 1951
plant resistance, 1951
peanuts, *Diabrotica undecimpunctata howardi*, 1894
Elasmopalpus lignosellus, 1899
insecticide degradation, 1899
prophylactic treatments, 1894
pears, *Tetranychus urticae*, 1334
tolerance, 1334
pecan weevil, *Curculio caryae*, 1782
Pectinophora gossypiella, cotton, 470
Perillus bioculatus, Leptinotarsa decemlineata, 1645
Periplaneta fuliginosa, Eurycotis floridana, 1735
spatial distribution, 1735
permethrin, azinphosmethyl, 358
pink bollworm, 358
persistence, *Chironomus tepperi*, 795
organophosphates, 795
pest advisory, *Heliothis zea*, 515
soybean, 515
pest management, *Anasa tristis*, 224
binomial, 148
cultural control, 224

juvenile hormone, 1163
Melanoplus spp., 1163
sequential sampling, 148
pest management threshold levels, *Blattella germanica*, 736
insecticide resistance, 736
pesticide application, chemigation, 1869, 1879
pesticide hormoligosis, pesticide stimulation, 1169
Scirtothrips citri, 1169
pesticide stimulation, pesticide hormoligosis, 1169
Scirtothrips citri, 1169
pesticides, endoparasitoids, 844
European red mite, 570
Myzus persicae, 844
pests, cut flowers, 532
fumigation, 532
pharmacokinetics, cross-resistance, 41
Tetranychus urticae, 41
Phaseolus vulgaris, cost-benefit ratio, 996
Glycine max, 996
Pheidole megacephala, fenoxycarb, 56
phenology, *Aonidiella aurantii*, 1802
buprofezin, 1802
Eucosma sonomana, 206
heat accumulation, 206
pheromone traps, *Heliothis virescens*, 1492
Heliothis complex, 855
mating, 1492
nocturnal activity, 855
pickleworm, 1837
prediction, 1837
sweet corn, 1364
pheromones, corn earworm, 1833
Eoreuma loftini, 1216
Helicoverpa zea, 1833
lesser peachtree borer, 218
mating disruption, 218
Noctuidae, 902
Ostrinia nubilalis, 1196
tomato, 902
trapping, 1196
traps, 1216
photosynthesis, corn, 1370
European corn borer, 1370
Phyllophaga, entomogenous nematodes, 841
Phyllotreta cruciferae, *Brassica napus*, 1597
physical barrier, subterranean termite, 912
pickleworm, pheromone traps, 1837
pink bollworm, permethrin, 358
resistance, 353
Pinus monticola, cone and seed insects, 215
Leptoglossus occidentalis, 215
pistachios, *Calocoris norvegicus*, 114
epicarp lesions, 114
pitfall traps, farm-stored wheat, 1381
pneumatic sampler, 1381
predaceous arthropods, 1015
seasonal abundance, 1015
plant bugs, alfalfa, 1024
insect damage, 1024
plant damage, alfalfa, 1889
Spissistilus festinus, 1889
plant hormones, *Eriosoma lanigerum*, 1823
insect galls, 1823
plant phytotoxicity, ovicides, 1550
plant resistance, *Acyrthosiphon pisum*, 1951
barley, 674
Calocoris angustatus, 1088
damage rating methods, 324
Diuraphis noxia, 328, 674
Ostrinia nubilalis, 324
pea cultivars, 1951
somaclonal variation, 680
sorghum, 1088
wheat, 328
Plathypena scabra, economic damage, 277
Platynota idaeusalis, fenoxycarb, 965
Plodia interpunctella, *Amyelois transitella*, 202
Plutella xylostella, *Brassica oleracea*, 1609
insecticide resistance, 1135
leaf surface waxes, 1609
pneumatic sampler, farm-stored wheat, 1381
pitfall traps, 1381
pollen, biosafety, 1943
Gossypium, 1943
pollen feeding, *Anthonomus grandis grandis*, 126
host plants, 126
pollen studies, *Helicoverpa zea*, 237
pollination, *Rubus idaeus*, 457
polygenic, insecticide resistance, 703
monogenic, 703
polygyny, mound density, 866
Popillia japonica, biological control, 713
entomopathogenic nematodes, 713
population development, *Helicoverpa zea*, 267
Heterodera glycines, 267
population dynamics, corn, 1041
defoliation, 1508
Lymantria dispar, 1508
Sitophilus zeamais, 1041
population monitoring, *Dacus dorsalis*, 1503
parasitoids, 1503
population structure, Lincoln index, 1437
postharvest control, *Cydia pomonella*, 1316
quarantine treatment, 1316
potato leafhopper, alfalfa weevil, 610
crop loss assessment, 610
potato virus, *Myzus persicae*, 1028
preconditioning, *Diuraphis noxia*, 1083
host plant, 1083
predaceous arthropods, seasonal abundance, 1015
predators, *Lygus lineolaris*, 830
prediction, pheromone traps, 1837
pickleworm, 1837
preemergence damping-off, *Lissorhoptrus oryzophilus*, 317
Pythium spp., 317
preventative control, physical barrier, 912
subterranean termite, 912
progeny production, longevity, 120
prophylactic treatments, *Diabrotica undecimpunctata howardi*, 1894
peanuts, 1894
protein hydrolysates, *Dacus cucurbitae*, 1672
synthetic attractants, 1672
Providencia rettgeri, *Cochliomyia hominivorax*, 185
oviposition stimulants, 185
Pseudoplusia includens, *Helicoverpa zea*, 1625
sampling, 1625
Pseudotsuga menziesii, cone and seed insects, 212
Lepesoma lecontei, 212
pteridine, fluorescence, 1283
purification, acetylcholinesterase, 790
Lygus hesperus, 790
pyrethroid, *Anthonomus grandis grandis*, 659
mineral oil, 659
pyrethroid resistance, active site insensitivity, 367
fecundity, 1404
German cockroach, 1412
Haematobia irritans, 367
Heliothis virescens, 1404
selection, 1412
pyrethroids, *Blattella germanica*, 1247

insecticide resistance, 1135
Musca domestica, 776
parasitoids, 776
Plutella xylostella, 1135
resistance, 1247
temperature, 1433
pyriproxyfen, fenoxycarb, 56
Pheidole megacephala, 56
Pythium spp., *Lissorhoptrus oryzophilus*, 317
preemergence damping-off, 317

Q
quality damage, rice, 987
speckback, 987
quarantine, avocados, 1308
fruit flies, 1308
quarantine treatment, *Bactrocera jarvisi*, 1304
Bactrocera tryoni, 1304
controlled atmospheres, 1544
Cydia pomonella, 1316
Dacus spp., 948
Epiphyas postvittana, 1544
papaya, 948
postharvest control, 1316
quarantines, *Cydia pomonella*, 528
heat treatments, 528

R
radiation, *Ceratitis capitata*, 1705
genetic sexing, 1705
insecticide resistance, 25
Spodoptera frugiperda, 25
radioactive label, apple, 1827
range grasses, *Diuraphis noxia*, 333
host plant resistance, 333
raspberry, *Tetranychus urticae*, 251
twospotted spider mite, 251
recapture, apple, 1827
radioactive label, 1827
red flour beetle, malathion resistance, 721
sampling, 1604
stored product, 1604
reproduction, *Heliothis virescens*, 1485
sperm bundles, 1485
temperature, 1242
tobacco budworm, 1242
reproductive biology, Asian cockroach, 1251
Blattella asahinai, 1251
research tool, Caribbean fruit fly, 520
mango, 520
residues, application timing, 558
methyl bromide, 1294
strawberry aphid, 558
unshelled walnuts, 1294
resistance, *Amblyseius andersoni*, 750
Archips agyrospila, 1399
azinphosmethyl, 1399
barley, 669
Blattella germanica, 1247
discriminating bioassay, 1119
Diuraphis noxia, 669
Heterocrossa rubophaga, 247
inheritance, 750
maize, 1053
Ostrinia nubilalis, 1053
pink bollworm, 353
pyrethroids, 1247
Rubus spp., 247
selection, 353
resistance detection, sampling inspection, 379
sequential probability ratio test, 379
resistance management, acaricides, 1
acaricides, 7
discriminating bioassay, 1119
Panonychus ulmi, 1
resistance, 1119
Tetranychus urticae, 7
resistance mechanisms, carbaryl resistance, 1145
house fly, 1145
resistance monitoring, dose-mortality bioassays, 363
Heliothis virescens, 363
Reticulitermes flavipes, *Coptotermes formosanus*, 1753
Reticulitermes hesperus, soil, 181
Rhopalosiphum maidis, generation mean analysis, 1080
Hippodamia sinuata, 1480
maize genotypes, 625
Schizaphis graminum, 1480
Zea mays, 1080
rice, speckback, 987
Stenchaetothrips biformis, 664
rice insects, oviposition preference, 656
rice tungro viruses, feeding, 1208
Nephotettix, 1208
Rubus idaeus, *Apis mellifera*, 457
pollination, 457
Rubus spp., *Heterocrossa rubophaga*, 247
sampler, aerial, 476
alfalfa, 1388
barley, 1630
dispersal, 1717
Gracillaridae, 484
Helicoverpa zea, 1625
Hypera postica, 650
leafminers, 484
Limothrips denticornis, 1630
migration, 1717
Otiorhynchus ligustici, 1388
Pseudoplusia includens, 1625
red flour beetle, 1604
shake-bucket, 650
spatial distribution, 1108
Spissistilus festinus, 1108
stored product, 1604
timed counts, 1774

S
sampling inspection, resistance detection, 379
sequential probability ratio test, 379
sampling methods, *Heliothis zea*, 1095
Orius insidiosus, 1095
sap beetles, trap designs, 1515
Schizaphis graminum, *Hippodamia sinuata*, 1480
host plant resistance, 1619
Rhopalosiphum maidis, 1480
Scirtothrips citri, pesticide hormoligosis, 1169
screening, agricultural contraband, 489
airline baggage, 489
screwworm flies, attractants, 1189
screwworms, behavior, 1468
collections, 1476
searching capacity, corn, 83
Orius insidiosus, 83
seasonal abundance, *Brassica* spp., 450
lygus, 450
pitfall traps, 1015
predaceous arthropods, 1015
selection, *Bacillus thuringiensis*, 49
cypermethrin, 1140
German cockroach, 1412
hybridization, 1140
insecticide resistance, 49
pink bollworm, 353
pyrethroid resistance, 1412
resistance, 353
semiochemical baiting, *Dendroctonus pseudotsugae*, 962
Douglas-fir, 962
semiochemicals, attractants, 99
corn rootworms, 601, 1235
Diabrotica balteata, 99
nontarget species, 1235
starch matrices, 601
sentinel animal alternative, collections, 1476
screwworms, 1476
sequential probability ratio test, resistance detection, 379
sequential sampling, *Anasa*

tristis, 1796
binomial, 148
corn rootworms, 165
hardwood forests, 1100
Lygus lineolaris, 158
Lymantria dispar, 1100
pest management, 148
spatial dispersion, 158
spatial distribution, 1796
Sericothrips variabilis, feeding injury, 300
shade trees, host plant resistance, 587
Lymantria dispar, 587
shake-bucket, *Hypera postica*, 650
sampling, 650
sheep ked, distribution, 1532
Melophagus ovinus, 1532
Sitobion avenae, barley yellow dwarf virus, 1920
Sitophilus granarius, development, 1047
Sitophilus oryzae, *Lariophagus distinguendus*, 837
Sitophilus zeamais, chlorpyrifos-methyl, 1926
corn, 1041
soil, insecticide vapors, 181
Reticulitermes hesperus, 181
Solanum tuberosum, cultural control, 581
wireworms, 581
Solenopsis invicta, baits, 814
citrus, 241
corn, 285
mound density, 866
polygyny, 866
somaclonal variation, breeding, 680
plant resistance, 680
sorbic acid, *Choristoneura occidentalis*, 552
temperature, 552
sorghum, *Calocoris angustatus*, 1088
corn, 285
corn earworm, 619
fall armyworm, 619
plant resistance, 1088
Solenopsis invicta, 285
Sorghum bicolor, antibiosis, 337
fall armyworm, 337
soybean, *Heliothis zea*, 515
host plant resistance, 1068
pest advisory, 515
spatial dispersion, sequential sampling, 158
Anasa tristis, 1796
Periplaneta fuliginosa, 1735
sampling, 1108
sequential sampling, 1796
Spissistilus festinus, 1108
speckback, quality damage, 987
rice, 987
sperm bundles, *Heliothis virescens*, 1485
reproduction, 1485
spider mites, *Gossypium*, 593
infestation rates, 593
spinach, aphicides, 1558
Myzus persicae, 1558
Spissistilus festinus, alfalfa, 1889
girdling, 1203
plant damage, 1889
sampling, 1108
Spodoptera exigua, benzoylphenyl ureas, 785
insecticide resistance, 1638
Spodoptera frugiperda, larval application, 1010
radiation, 25
Spodoptera littoralis, *Asymmetrasca decedens*, 390
fenpropathrin residues, 390
spray coverage, Colorado potato beetle, 1842
insecticide, 1842
spray deposition, *Bacillus thuringiensis*, 542
oak, 542
spruce budworm, insecticides, 397
stand persistence, alfalfa yield, 1353
fungus diseases, 1353
starch encapsulation, entomopathogens, 1652
Melanoplus sanguinipes, 1652
starch matrices, corn rootworms, 601
semiochemicals, 601
steers, nutrition, 1262
Stomoxys calcitrans, 1262
Stenchaetothrips biformis, rice, 664
varietal resistance, 664
sterility, *Blattella germanica*, 917
insect growth regulators, 917
sterol requirements, baculoviruses, 445
virus production, 445
Stomoxys calcitrans, immature development, 191
steers, 1262
stored product, sampling, 1604
stored products, development, 1047
Sitophilus granarius, 1047
stored wheat, carbon dioxide, 1933
strawberry aphid, residues, 558
subterranean termite, physical barrier, 912
preventative control, 912
bioassays, 170
suction trap, aphids, 306
Aphididae, 1710
detrended correspondence analysis, 1710
sugarcane, *Eoreuma loftini*, 1001
internode susceptibility, 1001
sunflower, Coleoptera, 132
Zygogramma exclamationis, 132
survival, *Diabrotica virgifera virgifera*, 1905
insecticides, 1905
sweet corn, integrated pest management, 1364
pheromone traps, 1364
Symbiotaphrina kochii, esterase, 402
Lasioderma serricorne, 402
synergism, benzoylphenyl ureas, 785
Spodoptera exigua, 785
synthetic attractants, *Dacus cucurbitae*, 1672
protein hydrolysates, 1672
systemic insecticide, cattle biting louse, 1266
little blue cattle louse, 1266

T

temperature, *Bacillus thuringiensis*, 806
Choristoneura occidentalis, 552
Colorado potato beetle, 806
development, 825
Lariophagus distinguendus, 825
mode of action, 1433
pyrethroids, 1433
reproduction, 1242
sorbic acid, 552
tobacco budworm, 1242
Tephritidae, oviposition responses, 1695
parasitoids, 1460
Tetranychus pacificus, *Tetranychus urticae*, 1128
Tetranychus urticae, acaricides, 7
cross-resistance, 41
Euonymus alata 'Compacta', 1806
hexythiazox, 1128
raspberry, 251
Tetranychus pacificus, 1128
tolerance, 1334
twospotted spider mite, 251
thermal death kinetics, *Dacus dorsalis*, 1298
heat inactivation, 1298
thermal mortality, *Bactrocera tryoni*, 1768
disinfestation, 1768
thrips, host plant resistance, 971

thuringiensin, *Bacillus thuringiensis*, 436
Trichoplusia ni, 436
Thysanoptera, *Frankliniella occidentalis*, 1812
insect feeding sites, 1771
timed counts, *Lymantria dispar*, 1774
sampling, 1774
tobacco budworm, temperature, 1242
tolerance, additive genetic variation, 34
heritability of resistance, 34
pears, 1334
Tetranychus urticae, 1334
tomato, *Helicoverpa zea*, 1662
Noctuidae, 902
pheromones, 902
Trichogramma, 1662
tomato spotted wilt virus, cultural control, 136
Frankliniella occidentalis, 136
tomatoes, *Frankliniella fusca*, 1818
Frankliniella occidentalis, 1818
toxicants, attractants, 1344
Trichoplusia ni, 1344
toxicity, Acari, 780
diafenthiuron, 780
trace element labeling, *Helicoverpa*, 496
Heliothis, 496
translocation, girdling, 1203
Spissistilus festinus, 1203
trap designs, sap beetles, 1515
trapping, *Ostrinia nubilalis*, 1196
pheromones, 1196
traps, *Eoreuma loftini*, 1216
pheromones, 1216
treatment threshold, cotton, 470
Pectinophora gossypiella, 470
Empoasca fabae, 644
yield responses, 644
Tribolium spp., discriminating doses, 763
Trichogramma, *Helicoverpa zea*, 1662
tomato, 1662
Trichoplusia ni, attractants, 1344
Bacillus thuringiensis, 436
thuringiensin, 436
turf pest, ground pearls, 1668
Margarodes meridionalis, 1668
turfgrass thatch, *Heterorhabditis*, 875
Nematoda, 875
twospotted spider mite, *Tetranychus urticae*, 251
Typhlodromus pyri, European red mite, 570
pesticides, 570

U
unshelled walnuts, *Cydia pomonella*, 1289
methyl bromide, 1294
methyl bromide fumigation, 1289
residues, 1294

V
variance estimation, binomial sampling, 140
Diuraphis noxia, 140
varietal resistance, rice, 664
Stenchaetothrips biformis, 664
virus production, baculoviruses, 445
sterol requirements, 445
vision, nutrition, 633
vitamin A, 633
vitamin A, nutrition, 633
vision, 633
viticulture, *Daktulosphaira vitifoliae*, 230
dispersal, 230

W
walnuts, baculovirus, 1448
Cydia pomonella (L.), 1448
Cydia pomonella, 1448
water stress, *Euonymus alata* 'Compacta', 1806
Tetranychus urticae, 1806
watermelon, *Bactrocera xanthodes*, 1763
methyl bromide, 1763
western corn rootworm, cucurbitacin, 1861
defoliation, 1562
wheat, carbohydrates, 897
greenbug, 897
host plant resistance, 1619
injury, 1037
insecticide control, 1913
Lygus rugulipennis, 1037
Mayetiola destructor, 1913
plant resistance, 328
Schizaphis graminum, 1619
white grubs, entomogenous nematodes, 1454
wireworms, cultural control, 581

Y
yield responses, Empoasca fabae, 644
treatment thresholds, 644

Z
Zea mays, generation mean analysis, 1080
maize genotypes, 625
Rhopalosiphum maidis, 625, 1080
Zygogramma exclamationis, Coleoptera, 132